



A P P R O V A L S ®

## Certificate of Suitability

**Certificate No.:** SAA180020

**Certificate Holder:** Eaglerise Electric & Electronic (China) Co., Ltd.  
A3, Guicheng Science & Technology Park,  
Jianping Road, Nanhai, Foshan,  
Guangdong 528200,  
P.R. China

**Class Description:** Non-Declared  
**Product Description:** LED Power Supply (Built-in SELV Constant Current)  
**Brand Name:** EAGLERISE  
**Model No.:** EBP006C0700S1  
**Markings:** Input: 220-240V~ 50/60Hz, 0.11A Max  
Output: 2.8-9Vdc, 13Vdc Max, 700mA, 6.3W Max  
Ta:50°C Tc:80°C, Class II

**Standard:** AS/NZS IEC 61347.2.13:2013  
AS/NZS 61347.1:2016

**Conditions:** Nil

**Certification Mark:** SAA180020 or RCM

**Date First Registered:** 15 January 2018

**Date of Expiry:** 15 January 2023


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 15-01-18 180020/1



A P P R O V A L S ®

## Certificate of Suitability

### \* Addendum \*

**Certificate No.:** SAA180020

**Date of Issue:** 15 January 2018

**Class Description:** Non-Declared  
**Product Description:** LED Power Supply  
(Built-in SELV Constant Current)

#### Additional Models

#### Description

EBP006C0150S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 20-40Vdc, Max 60Vdc, 150mA, 6W Max
EBP006C0200S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 15-30Vdc, Max 42Vdc, 200mA, 6W Max
EBP006C0250S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 12-24Vdc, Max 35Vdc, 250mA, 6W Max
EBP006C0300S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 12-20Vdc, Max 33Vdc, 300mA, 6W Max
EBP006C0350S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 12-18Vdc, Max 25Vdc, 350mA, 6.3W Max
EBP006C0400S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 8-15Vdc, Max 25Vdc, 400mA, 6W Max
EBP006C0450S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 7-13.5Vdc, Max 23Vdc, 450mA, 6.1W Max
EBP006C0500S1	Input: 220-240Vac 50/60Hz, 0.11A Max Output: 6-12Vdc, Max 22Vdc, 500mA, 6W Max


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 15-01-18 180020/2



A P P R O V A L S ®

## Certificate of Suitability

### \*Addendum\*

**Certificate No.:** SAA180020

**Date of Issue:** 15 January 2018

**Class Description:** Non-Declared  
**Product Description:** LED Power Supply  
(Built-in SELV Constant Current)

**Additional Models**

**Description**

EBP006C0550S1

Input: 220-240Vac 50/60Hz, 0.11A Max  
Output: 5.5-11Vdc, Max 20Vdc, 550mA, 6.1W Max

EBP006C0600S1

Input: 220-240Vac 50/60Hz, 0.11A Max  
Output: 5.5-10Vdc, Max 16Vdc, 600mA, 6W Max

EBP006C0650S1

Input: 220-240Vac 50/60Hz, 0.11A Max  
Output: 5.5-9.5Vdc, Max 16Vdc, 650mA, 6.2W Max


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 15-01-18 180020/3

15 January 2018

Eaglerise Electric & Electronic (China) Co., Ltd.  
A3, Guicheng Science & Technology Park,  
Jianping Road, Nanhai, Foshan,  
Guangdong 528200,  
P.R. China

C/- TUV SUD Certification and Testing (China) Co., Guangzhou Branch

Dear Sir

**Certificate of Suitability – SAA180020  
LED Power Supply (Built-in SELV Constant Current)  
Model No.: EBP006C0700S1**

We are pleased to advise that your application for certification of the above electrical product has been successful.

Please ensure that you keep the enclosed Certificate in a safe place as it is your evidence that the product has been certified.

The certified product must now be marked with the SAA Number SAA180020 or may be marked with the Regulatory Compliance Mark (RCM). The RCM must be used in accordance with the conditions set out in the relevant parts of AS/NZS 4417.

Please note that if the electrical product is modified in any way or your company details change you are required to notify this office of the details of the modification. You can either download the required form from our web page or contact our office.

As part of our operational guidelines we are required to check that a certified product remains compliant during the term of the Certificate. At some stage during this term we may request a sample for evaluation.

If you need any further information or need to discuss this letter please don't hesitate to contact our office.

Yours sincerely



**For and on behalf of  
SAA Approvals Pty Ltd**

ABN 91 125 451 327

P. +61 7 3393 9455

F. +61 7 3393 9499

E. [info@saaapprovals.com.au](mailto:info@saaapprovals.com.au)

W. [www.saaapprovals.com.au](http://www.saaapprovals.com.au)

PO Box 189, Cannon Hill QLD 4170  
5/20 Rivergate Place, Murarrie QLD 4172